AMENDMENT OF SOLICITATI	ON/MODIFICATI	ON OF CONTRACT	1. Contract		Page 1 Of 10
2. Amendment/Modification No.	3. Effective Date	4. Requisition/Purchase Re		5. Project No. (I	f applicable)
P00001	2003DEC19	SEE SCHEDULE			
6. Issued By	Code W56HZV	7. Administered By (If other	r than Item 6)		Code S2305A
TACOM WARREN BLDG 231 AMSTA-AQ-ATAD ARLENE CHLOPICK (586)574-7624 WARREN, MICHIGAN 48397-5000		DCMA DETROIT U.S. ARMY TANK & A (TACOM) ATTN: DCMAE-GJD		IAND	
HTTP://CONTRACTING.TACOM.ARMY.MIL EMAIL: CHLOPICA@TACOM.ARMY.MIL		WARREN, MI 48397-			
8. Name And Address Of Contractor (No., Stre	ot City County State and	SCD C	PAS NONE	ADP PT nt Of Solicitation 1	' HQ0337
PRESTOLITE ELECTRIC 2311 GREEN ROAD	et, etty, county, state and		9B. Dated (See		
SUITE B ANN ARBOR, MI. 48105-2965			,		
		X	10A. Modifica	tion Of Contract/C	Order No.
TYPE BUSINESS: Large Business Perfo	rming in U.S.		DAAE07-03-D-		
Code 24975 Facility Code			10B. Dated (Se 20030CT23	ee Item 13)	
11. T	HIS ITEM ONLY APPLI	ES TO AMENDMENTS OF	SOLICITATION	NS	
A. This Change Order is Issued Pursuan The Contract/Order No. In Item 10.  B. The Above Numbered Contract/Orde Set Forth In Item 14, Pursuant To T  X C. This Supplemental Agreement Is Ent	endment prior to the hour a copies of telegram which includes a DAT THE PLACE DESIGN OF YOUR OFFER. If the provided each telegram or included each t	and date specified in the solic of the amendments: (b) By ac reference to the solicitation a SNATED FOR THE RECEIF by virtue of this amendment y letter makes reference to the O MODIFICATIONS OF Co act/Order No. As Described In The Administrative Changes ( )3(b).	itation or as ame knowledging rec and amendment in TOF OFFERS rou desire to cha solicitation and to  ONTRACTS/OR an Item 14.  The Cl such as changes	ended by one of the eipt of this ame not numbers. FAILUR PRIOR TO THE Hange an offer alread this amendment, and DERS  hanges Set Forth In in paying office, approximately an office, approximately and the set of	ment on each copy of the RE OF YOUR HOUR AND DATE ly submitted, such and is received prior to the
D. Other (Specify type of modification a					
E. IMPORTANT: Contractor is not,  14. Description Of Amendment/Modification (0)	<u> </u>	this document and return		copies to the Issuir	<u> </u>
SEE SECOND PAGE FOR DESCRIPTION	organized by OCF section	neaungs, menuing sonetian	on/contract subj	ect matter where it	easible.)
Contract Expiration Date: 2008OCT20					
Except as provided herein, all terms and conditand effect.	tions of the document refer	renced in item 9A or 10A, as	neretofore chang	ged, remains uncha	nged and in full force
15A. Name And Title Of Signer (Type or print)		16A. Name And Title PAMELA L. GROZDO GROZDONP@TACOM.A	N		orint)
15B. Contractor/Offeror	15C. Date Signed	16B. United States O		3.1 0332	16C. Date Signed
	_	Ву	/SIGNED/		2003DEC19
(Signature of person authorized to sign)		(Signature	of Contracting (	Officer)	

#### Reference No. of Document Being Continued

PIIN/SIIN DAAE07-03-D-S083

MOD/AMD P00001

Page 2 of 10

Name of Offeror or Contractor: PRESTOLITE ELECTRIC

SECTION A - SUPPLEMENTAL INFORMATION

1. The purpose of this Modification P00001 to Contract DAAE07-03-D-S048 is to correct the packaging requirements, and add new packaging clause and change the acceptance and final acceptance.

2. This modification covers all existing and future delivery orders.

3. FROM: SPI AK13367098 dtd 3-31-99

TO: MIL STD 2073-1D METHOD 42

4. Acceptance and Final Acceptance:

FROM: Prestolite Electric Inc. 7585 Empire Drive Florence, KY 41042 Cage (4B175)

TO: Prestolite Electric Inc.

400 Main Street

Arcade, New York 14009

5. Add Clause "Packaging Requirements (Specifications/Standards)" 52.211-4514.

6. All other terms and conditions remain unchanged.

\*\*\* END OF NARRATIVE A 002 \*\*\*

## Reference No. of Document Being Continued PIIN/SIIN DAAE07-03-D-S083

MOD/AMD P00001

**Page** 3 **of** 10

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	SECTION B - SUPPLIES OR SERVICES AND PRICES/COSTS				
	(Deleted narrative A001)				
	(Deleted narrative A001)				
	SUPPLIES OR SERVICES AND PRICES/COSTS:				
	THE POWE DATE THEY WHATE				
	IN THE FOUR DIGIT ITEM NUMBERS (CLINS) THAT FOLLOW, THE NUMBERING SYSTEM				
	THAT IS USED IS AS FOLLOWS:				
	11111 10 0000 10 10 1000010				
	THE FIRST THREE DIGITS SIGNIFY ITEM AND				
	THE FOURTH (LAST) DIGIT SIGNIFIES THE				
	APPLICABLE ORDERING YEAR, i.e., CLIN 0011				
	IS FOR THE FIRST ITEM - FIRST ORDERING				
	YEAR, CLIN 0012 IS FOR THE FIRST ITEM -				
	SECOND ORDERING YEAR, CLIN 0013 IS FOR THE				
	FIRST ITEM - THIRD ORDERING YEAR, ETC.				
	THE FINAL LINE ITEM(S) ASSOCIATED WITH EACH PART, SUCH AS FAT, TECHNICAL MANUALS, SERVICES,				
	OR TRAINING, WILL BECOME THE LAST ITEM NUMBER				
	IN NUMERICAL SEQUENCE FOR EACH ITEM, e.g.				
	0016 (5 YEAR LONG TERM CONTRACT) OR 0014				
	(3 YEAR LONG TERM CONTRACT). IF MORE THAN				
	ONE ITEM IS BEING PROCURED, THE NUMBERS WILL				
	BE 0026 OR 0024 DEPENDING ON THE LENGTH OF THE				
	LONG TERM CONTRACT.				
	THE FOLLOWING DEFINITIONS APPLY TO THE				
	ENTIRE SOLICITATION AND RESULTING CONTRACT:				
	FIRST ORDERING YEAR OF THE CONTRACT IS THE DATE				
	OF AWARD PLUS 364 DAYS.				
	SECOND ORDERING YEAR OF THE CONTRACT IS 365 DAYS THROUGH 729 DAYS AFTER CONTRACT AWARD.				
	THROUGH 725 DATS AFTER CONTRACT AMARD.				
	THIRD ORDERING YEAR OF THE CONTRACT IS 730 DAYS THROUGH 1,094 DAYS AFTER CONTRACT AWARD.				
	FOURTH ORDERING YEAR OF THE CONTRACT IS 1,095				
	DAYS THROUGH 1,459 DAYS AFTER CONTRACT AWARD.				
	ETERNI ODDEDING VEND OF THE COMPONER TO 1 460				
	FIFTH ORDERING YEAR OF THE CONTRACT IS 1,460 DAYS THROUGH 1,824 DAYS AFTER CONTRACT AWARD.				
	DATO THROUGH 1,021 DATO AFTER CONTRACT AWARD.				
	NOTE: THE PRICE APPLICABLE TO AN INDIVIDUAL				
	ORDER IS THE PRICE FOR THE ORDERING YEAR IN				
	WHICH THE ORDER IS ISSUED. THE DELIVERY DATE				
	DOES NOT DETERMINE THE ORDERING YEAR.				
	The information presented below applies to				
	Item No. 0011 Through 0015:				
	Minimum 5 Year Quantity: 300 EACH				
	(This will be ordered at the time of the basic				
	contract award).				

## Reference No. of Document Being Continued PIIN/SIIN DAAE07-03-D-S083

MOD/AMD P00001

Page 4 of 10

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	Maximum 5 Year Quantity: 12,000 EACH (Inclusive of Option Years, if applicable)				
	ONLY THE MINIMUM 5 YEAR QUANTITY IS GUARANTEED.				
	PART NUMBERS:				
	THE ONLY APPROVED SOURCES OF SUPPLY FOR THESE CLINS AND THEIR RESPECTIVE PART NUMBERS ARE AS FOLLOWS:				
	PRESTOLITE ELEC. 24975 P/N: A001 4827 JB OSHKOSH TRUCK 45152 P/N: 2071710				
	(End of narrative A002)				
0011	FIRST ORDERING YEAR		EA	\$ 416.71000	\$
	NSN: 6115-01-482-8799 NOUN: GENERATOR, ALTERNATING FSCM: 24975 PART NR: A001 4827 JB SECURITY CLASS: Unclassified				
	Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING ROMTS CLAUSE LEVEL PRESERVATION: Military LEVEL PACKING: B				
	Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin				
	FOB POINT: Destination				

# Reference No. of Document Being Continued PIIN/SIIN DAAE07-03-D-S083

MOD/AMD P00001

**Page** 5 **of** 10

	ror or Contractor: PRESTOLITE ELECTRIC	OT I A NICHTONY	TINITE	LIMITE DELCE	AMOUNT
ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0012	SECOND ORDERING YEAR		EA	\$ 416.71000	\$
	NSN: 6115-01-482-8799				
	NOUN: GENERATOR, ALTERNATING				
	FSCM: 24975				
	PART NR: A001 4827 JB				
	SECURITY CLASS: Unclassified				
	Packaging and Marking				
	PACKAGING/PACKING/SPECIFICATIONS:				
	SEE PACKAGING RQMTS CLAUSE				
	LEVEL PRESERVATION: Military				
	LEVEL PACKING: B				
	Inspection and Acceptance				
	INSPECTION: Origin ACCEPTANCE: Origin				
	FOB POINT: Destination				
	•	•	•	•	•

# Reference No. of Document Being Continued PIIN/SIIN DAAE07-03-D-S083

MOD/AMD P00001

**Page** 6 **of** 10

	or or Contractor: PRESTOLITE ELECTRIC	OTTA NITITIES?	TINITE	LIMIT DDICE	AMOTINE
ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0013	THIRD ORDERING YEAR		EA	\$420.88000	ė.
0013	THIRD ORDERING YEAR		LA	\$420.88000	\$
	NSN: 6115-01-482-8799				
	NOUN: GENERATOR, ALTERNATING				
	FSCM: 24975 PART NR: A001 4827 JB				
	SECURITY CLASS: Unclassified				
	BECOMIT CERES CHOTASSITION				
	Darling and Marking				
	Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS:				
	SEE PACKAGING ROMTS CLAUSE				
	LEVEL PRESERVATION: Military				
	LEVEL PACKING: B				
	Inspection and Acceptance				
	INSPECTION: Origin ACCEPTANCE: Origin				
	FOB POINT: Destination				
			<u> </u>		

## Reference No. of Document Being Continued PIIN/SIIN DAAE07-03-D-S083

MOD/AMD P00001

**Page** 7 **of** 10

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0014	FOURTH ORDERING YEAR		EA	\$ 420.88000	\$
	NSN: 6115-01-482-8799				
	NOUN: GENERATOR, ALTERNATING FSCM: 24975				
	PART NR: A001 4827 JB				
	SECURITY CLASS: Unclassified				
	Packaging and Marking				
	PACKAGING/PACKING/SPECIFICATIONS:				
	SEE PACKAGING ROMTS CLAUSE				
	LEVEL PRESERVATION: Military LEVEL PACKING: B				
	BEVER PACKING. B				
	Inspection and Acceptance				
	INSPECTION: Origin ACCEPTANCE: Origin				
	FOB POINT: Destination				

## Reference No. of Document Being Continued PIIN/SIIN DAAE07-03-D-S083

MOD/AMD P00001

Page 8 of 10

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0015	FIFTH ORDERING YEAR		EA	\$ 427.19000	\$
	NSN: 6115-01-482-8799 NOUN: GENERATOR, ALTERNATING FSCM: 24975 PART NR: A001 4827 JB SECURITY CLASS: Unclassified				
	Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING RQMTS CLAUSE LEVEL PRESERVATION: Military LEVEL PACKING: B				
	Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin				
	FOB POINT: Destination				

#### Reference No. of Document Being Continued

PIIN/SIIN DAAE07-03-D-S083

MOD/AMD P00001

**Page** 9 **of** 10

Name of Offeror or Contractor: PRESTOLITE ELECTRIC

SECTION I - CONTRACT CLAUSES

Status Regulatory Cite \_\_\_\_\_ Title \_\_\_\_ Date

I-1 CHANGED 52.211-4514

PACKAGING REQUIREMENTS (SPECIFICATIONS/STANDARDS)

SEP/2003

- (a) The preservation, packing, and marking requirements for this contract/order shall be accomplished in accordance with the requirements in the specification/standard defined below.
  - (b) The following requirements shall apply:
    - (1) LEVEL OF PRESERVATION: MILITARY
    - (2) LEVEL OF PACKING: B
    - (3) QUANTITY PER UNIT PACKAGE: 001
    - (4) SPECIFICATION/STANDARD: MIL STD 2073-1D METHOD 42
- (c) The specification/standard cited is intended to give a clear and accurate description of the technical packaging requirements for the item being procured, including the procedure by which it can be determined that the requirements have been met. Specific instructions and/or tailoring of the specification/standard is detailed in the supplemental instructions below. Any design changes or changes in the method of preservation that provide a cost savings without degrading the method of preservation or packing and without affecting the serviceability of the item will be considered and responded to within 10 days of submission to PCO with copies to the ACO. The government reserves the right to require testing to validate alternate industrial preservation methods, materials, blocking, bracing, cushioning, and packing.

#### (d) Marking:

- (1) In addition to any special markings called out by the specification/standard above, all unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P, Dated 15 Dec. 2002, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract/order or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive material will not identify the nature of the material.
- (2) Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. For shipments moving to overseas locations and for mobile deployable units, the in-the-clear address must also include the host country geographic address and the APO/FPO address. A Military Shipment Label (MSL) is required for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. DVD shipment documentation must also be marked with additional bar codes. The DD Form 250 or the commercial packing list shall have additional issue/receipt bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots, e.g. New Cumberland, San Joaquin, Red River, Anniston). Packing lists are required in accordance with the Standard, see paragraph 5.3
- (3) Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee".
- (4) Military Shipping Label: Military Shipment Labels(MSLs) may be created using commercially available programs. These commercial programs can generate a MIL-STD-129 and Defense Transportation Regulation compliant MSLs and package labels. For example, the EasyForm MSL at <a href="http://www.easysoftcorp.com/products/Software/MSL.html">http://www.easysoftcorp.com/products/Software/MSL.html</a>. Insure that the ship to and mark for in-the-clear delivery address is complete including: consignees name, organization, department name, office, building, room, street address, city, state, country code, & DODAAC.
- (e) Heat Treatment and Marking of Wood Packaging Materials: Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure traceability to the original source of heat treatment. Marking. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program.
  - (f) Hazardous Materials(As applicable):

#### **Reference No. of Document Being Continued**

PIIN/SIIN DAAE07-03-D-S083

MOD/AMD P00001

Page 10 of 10

Name of Offeror or Contractor: PRESTOLITE ELECTRIC

(1) Hazardous Materials is defined as a substance, or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)

(2) When applicable, packaging and marking for hazardous material shall comply with the requirements herein for the mode of transport and the applicable performance packaging contained in the following documents:

International Air Transport Association (IATA) Dangerous Goods Regulations

International Maritime Dangerous Goods Code (IMDG)

Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49

Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO

P4030.19/DLAM 4145.3 (for military air shipments).

(3) If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers.

A Product Material Safety Data Sheets (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.

(g) SUPPLEMENTAL INSTRUCTIONS: MIL-STD 2071-1D method 42 was previously MIL-STD-2073-1C method 1A-14.

Unit pack weight, cube and size is estimated data. Request contractor to provide actual unit pack weight, cube and size to the following address: packaging@tacom.army.mil

All loose items should be properly installed IAW approved item configured drawing prior to assembling packaging application. This may reduce the overall size and cube of the assembled package.

[End of Clause]